

Your source for the latest research news

Follow: **f y in** Subscribe:

Science News

from research organizations

₽ Print Email → Share

Is there a common path to the psychedelic experience?

Date: April 25, 2023

Source: Michigan Medicine - University of Michigan

Summary: A study takes a closer look at the neurobiology of psychedelic experiences caused by

nitrous oxide, ketamine and LSD.









FULL STORY

RELATED TOPICS

Share:

Health & Medicine

- > Medical Topics
- > Pharmacology
- > Psychology Research
- > Today's Healthcare

Mind & Brain

- > Psychedelic Drugs
- > Illegal Drugs
- > Spirituality
- > Intelligence

RELATED TERMS

- > Nitrous oxide
- > Neurobiology
- > Psychedelic mushroom
- > Psychedelic properties
- > Psychedelic drug
- Post-traumatic stress disorder
- > Psychopathology
- > Cognitive neuroscience

A new study takes a closer look at the neurobiology of psychedelic experiences caused by nitrous oxide, ketamine and LSD.

Nitrous oxide, colloquially known as laughing gas, has been used clinically as an anesthetic to dull pain since the 19th century. However, in smaller amounts, it can induce mind-altered experiences, including feelings of bliss, spirituality, and the feeling of being outside of one's body -- much like those induced by the psychedelic substances LSD and ketamine.

A study led by George Mashour, M.D., Ph.D. and Richard Harris, Ph.D., of the recently founded Michigan Psychedelic Center at the University of Michigan Medical School takes a closer look at the neurobiology of psychedelic experiences.

Using fMRI, the team examined the brain activity of healthy people who were administered nitrous oxide and compared that activity to data collected from participants in different studies who were given ketamine and LSD to see whether the neurobiology of the psychedelic experience was similar.

In addition, this data was compared to a control group comprised of participants administered propofol, a commonly used anesthesia drug, to distinguish between brain changes not related to the psychedelic experience.

The team noted that participants under the influence of each psychedelic drug had decreased connectivity within a particular network but increased connectivity across various networks. Although there were notable differences, each psychedelic increased connectivity between the right temporoparietal junction and intraparietal sulcus in both hemispheres of the brain and between precuneus and left intraparietal sulcus.

These nodes, they note, are located in the so-called cortical "hot zone" of the brain, an area proposed to be critical for determining the content of conscious experience. This could help explain the altered states of consciousness described by people administered these psychedelic substances.

Breaking

this hour

- > These Bones Were Made for Walking
- > Microbiome Is More Than the Sum of the Parts
- Greenland Was Mostly Green 416,000 Years
 Ago
- > Future AI to Learn Like Humans?
- > Strategies to Remove CO2 from the Ocean
- > Device Makes Hydrogen from Sunlight, Fast
- > Allowing Robots to Explore On Their Own
- > Shark Shock: Basking Sharks Are Warm-Bodied
- Male Killer Whales Protected by Older Mothers
- > Two New Species of Sabertooth Cat

Trending Topics

this week

HEALTH & MEDICINE

Human Biology

Cholesterol

Pharmacology

MIND & BRAIN

Dementia

Learning Disorders

Multiple Sclerosis

LIVING & WELL

Healthy Aging

Elder Care

Cosmetic Surgery

Strange & Offbeat

HEALTH & MEDICINE

(How) Cells Talk to Each Other

It's Sewage, Not Fertilizer Fueling Nitrogen Surge in Florida's Indian River Lagoon

Surgical and Engineering Innovations Enable Unprecedented Control Over Every Finger of a Bionic Hand

MIND & BRAIN

The fact that the patterns of activity associated with nitrous oxide, ketamine, and LSD overlapped hints at common underlying biology, they add. Further research to determine the specifics of this biology could help researchers determine how best to use psychedelics as therapeutics.

The Sound of Silence? Researchers Demonstrate People Hear It

Al Tests Into Top 1% for Original Creative Thinking

Everyone's Brain Has a Pain Fingerprint --New Research Has Revealed for the First Time

LIVING & WELL

These Lollipops Could 'Sweeten' Diagnostic Testing for Kids and Adults Alike

Grocery Store Carts Set to Help Diagnose Common Heart Rhythm Disorder and Prevent Stroke

Illusions Are in the Eye, Not the Mind

Story Source:

Materials provided by **Michigan Medicine - University of Michigan**. Original written by Kelly Malcom. *Note: Content may be edited for style and length.*

Journal Reference:

Rui Dai, Tony E. Larkin, Zirui Huang, Vijay Tarnal, Paul Picton, Phillip E. Vlisides, Ellen Janke, Amy McKinney, Anthony G. Hudetz, Richard E. Harris, George A. Mashour. Classical and non-classical psychedelic drugs induce common network changes in human cortex.
 NeuroImage, 2023; 273: 120097 DOI: 10.1016/j.neuroimage.2023.120097

Cite This Page: MLA APA Chicago

Michigan Medicine - University of Michigan. "Is there a common path to the psychedelic experience?." ScienceDaily. ScienceDaily, 25 April 2023. www.sciencedaily.com/releases/2023/04/230425111218.htm.

Explore More

from ScienceDaily

RELATED STORIES

Psychedelics May Lessen Fear of Death and Dying, Similar to Feelings Reported by Those Who've Had Near Death Experiences

Aug. 24, 2022 — In a survey study of more than 3,000 adults, researchers compared psychedelic experiences with near-death experiences that were not drug related and found notable similarities in people's attitudes ...

Why Ketamine Is a Speedster Antidepressant

June 1, 2022 — Ketamine is the speedster of antidepressants, working within hours compared to more common antidepressants that can take several weeks. But ketamine can only be given for a limited amount of time

Exploring the Therapeutic Uses of Ketamine

Mar. 18, 2022 — First manufactured more than 50 years ago, ketamine is a fast-acting dissociative anesthetic often used in veterinary and emergency medicine. Ketamine also has a history of being an illicit party ...

Potential of Using Psychedelic Drugs in Psychiatry

Apr. 2, 2020 — Before they were banned about a half century ago, psychedelic drugs like LSD and psilocybin showed promise for treating conditions including alcoholism and some psychiatric disorders. Researchers say ...

Free Subscriptions

Get the latest science news in your RSS reader with ScienceDaily's hourly updated newsfeeds, covering hundreds of topics:

Follow Us

Keep up to date with the latest news from ScienceDaily via social networks:

f Facebook

Twitter

in LinkedIn

Have Feedback?

Tell us what you think of ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?

Leave Feedback

Contact Us

About This Site | Staff | Reviews | Contribute | Advertise | Privacy Policy | Editorial Policy | Terms of Use

Copyright 1995-2023 ScienceDaily or by other parties, where indicated. All rights controlled by their respective owners. Content on this website is for information only. It is not intended to provide medical or other professional advice. Views expressed here do not necessarily reflect those of ScienceDaily, its staff, its contributors, or its partners.

Financial support for ScienceDaily comes from advertisements and referral programs, where indicated.

— Manage My Privacy Settings —